





# CX..S

## Crimp sleeves for MIX0 shielded modules

Item	Description	Part No.	Dimension																					
	<p>Crimp sleeves for <b>CX..CF</b> crimp flanges, from ID 5 mm/OD 6 mm to ID 7,5 mm/OD 8,5 mm</p> <p>ID: Inner Diameter OD: Outer Diameter</p> <p>Crimping tool, for crimp sleeves with diameter 6-8,5 mm</p>	<p><a href="#">CX 50.60 S</a> <a href="#">CX 55.65 S</a> <a href="#">CX 60.70 S</a> <a href="#">CX 65.75 S</a> <a href="#">CX 70.80 S</a> <a href="#">CX 75.85 S</a></p> <p><a href="#">CCFPZ M2</a></p>	 <table border="1"> <thead> <tr> <th>Part No.</th> <th>D1 (mm)</th> <th>D2 (mm)</th> </tr> </thead> <tbody> <tr> <td><a href="#">CX 50.60 S</a></td> <td>5</td> <td>6</td> </tr> <tr> <td><a href="#">CX 55.65 S</a></td> <td>5,5</td> <td>6,5</td> </tr> <tr> <td><a href="#">CX 60.70 S</a></td> <td>6</td> <td>7</td> </tr> <tr> <td><a href="#">CX 65.75 S</a></td> <td>6,5</td> <td>7,5</td> </tr> <tr> <td><a href="#">CX 70.80 S</a></td> <td>7</td> <td>8</td> </tr> <tr> <td><a href="#">CX 75.85 S</a></td> <td>7,5</td> <td>8,5</td> </tr> </tbody> </table>	Part No.	D1 (mm)	D2 (mm)	<a href="#">CX 50.60 S</a>	5	6	<a href="#">CX 55.65 S</a>	5,5	6,5	<a href="#">CX 60.70 S</a>	6	7	<a href="#">CX 65.75 S</a>	6,5	7,5	<a href="#">CX 70.80 S</a>	7	8	<a href="#">CX 75.85 S</a>	7,5	8,5
Part No.	D1 (mm)	D2 (mm)																						
<a href="#">CX 50.60 S</a>	5	6																						
<a href="#">CX 55.65 S</a>	5,5	6,5																						
<a href="#">CX 60.70 S</a>	6	7																						
<a href="#">CX 65.75 S</a>	6,5	7,5																						
<a href="#">CX 70.80 S</a>	7	8																						
<a href="#">CX 75.85 S</a>	7,5	8,5																						
	<p>Crimp sleeves for <b>CX..CF</b> crimp flanges, from ID 8 mm/OD 9 mm to ID 10,5 mm/OD 11,5 mm</p> <p>ID: Inner Diameter OD: Outer Diameter</p> <p>Crimping tool, for crimp sleeves with diameter 9-11,5 mm</p>	<p><a href="#">CX 80.90 S</a> <a href="#">CX 85.95 S</a> <a href="#">CX 90.100 S</a> <a href="#">CX 95.105 S</a> <a href="#">CX 100.110 S</a> <a href="#">CX 105.115 S</a></p> <p><a href="#">CCFPZ M1</a></p>	 <table border="1"> <thead> <tr> <th>Part No.</th> <th>D1 (mm)</th> <th>D2 (mm)</th> </tr> </thead> <tbody> <tr> <td><a href="#">CX 80.90 S</a></td> <td>8</td> <td>9</td> </tr> <tr> <td><a href="#">CX 85.95 S</a></td> <td>8,5</td> <td>9,5</td> </tr> <tr> <td><a href="#">CX 90.100 S</a></td> <td>9</td> <td>10</td> </tr> <tr> <td><a href="#">CX 95.105 S</a></td> <td>9,5</td> <td>10,5</td> </tr> <tr> <td><a href="#">CX 100.110 S</a></td> <td>10</td> <td>11</td> </tr> <tr> <td><a href="#">CX 105.115 S</a></td> <td>10,5</td> <td>11,5</td> </tr> </tbody> </table>	Part No.	D1 (mm)	D2 (mm)	<a href="#">CX 80.90 S</a>	8	9	<a href="#">CX 85.95 S</a>	8,5	9,5	<a href="#">CX 90.100 S</a>	9	10	<a href="#">CX 95.105 S</a>	9,5	10,5	<a href="#">CX 100.110 S</a>	10	11	<a href="#">CX 105.115 S</a>	10,5	11,5
Part No.	D1 (mm)	D2 (mm)																						
<a href="#">CX 80.90 S</a>	8	9																						
<a href="#">CX 85.95 S</a>	8,5	9,5																						
<a href="#">CX 90.100 S</a>	9	10																						
<a href="#">CX 95.105 S</a>	9,5	10,5																						
<a href="#">CX 100.110 S</a>	10	11																						
<a href="#">CX 105.115 S</a>	10,5	11,5																						
	<p>Crimp sleeves for <b>CX..CF</b> crimp flanges, from ID 11 mm/OD 12 mm to ID 12,5 mm/OD 13,5 mm</p> <p>ID: Inner Diameter OD: Outer Diameter</p> <p>Crimping tool, for crimp sleeves with diameter 12-13,5 mm</p>	<p><a href="#">CX 110.120 S</a> <a href="#">CX 115.125 S</a> <a href="#">CX 120.130 S</a> <a href="#">CX 125.135 S</a></p> <p><a href="#">CCFPZ M3</a></p>	 <table border="1"> <thead> <tr> <th>Part No.</th> <th>D1 (mm)</th> <th>D2 (mm)</th> </tr> </thead> <tbody> <tr> <td><a href="#">CX 110.120 S</a></td> <td>11</td> <td>12</td> </tr> <tr> <td><a href="#">CX 115.125 S</a></td> <td>11,5</td> <td>12,5</td> </tr> <tr> <td><a href="#">CX 120.130 S</a></td> <td>12</td> <td>13</td> </tr> <tr> <td><a href="#">CX 125.135 S</a></td> <td>12,5</td> <td>13,5</td> </tr> </tbody> </table>	Part No.	D1 (mm)	D2 (mm)	<a href="#">CX 110.120 S</a>	11	12	<a href="#">CX 115.125 S</a>	11,5	12,5	<a href="#">CX 120.130 S</a>	12	13	<a href="#">CX 125.135 S</a>	12,5	13,5						
Part No.	D1 (mm)	D2 (mm)																						
<a href="#">CX 110.120 S</a>	11	12																						
<a href="#">CX 115.125 S</a>	11,5	12,5																						
<a href="#">CX 120.130 S</a>	12	13																						
<a href="#">CX 125.135 S</a>	12,5	13,5																						
	<p>Crimp sleeves for <b>CX..CF</b> crimp flanges, from ID 13 mm/OD 14 mm to ID 14 mm/OD 15 mm</p> <p>ID: Inner Diameter OD: Outer Diameter</p> <p>Crimping tool, for crimp sleeves with diameter 14-15 mm</p>	<p><a href="#">CX 130.140 S</a> <a href="#">CX 137.150 S</a> <a href="#">CX 140.150 S</a></p> <p><a href="#">CCFPZ M4</a></p>	 <table border="1"> <thead> <tr> <th>Part No.</th> <th>D1 (mm)</th> <th>D2 (mm)</th> </tr> </thead> <tbody> <tr> <td><a href="#">CX 130.140 S</a></td> <td>13</td> <td>14</td> </tr> <tr> <td><a href="#">CX 137.150 S</a></td> <td>13,7</td> <td>15</td> </tr> <tr> <td><a href="#">CX 140.150 S</a></td> <td>14</td> <td>15</td> </tr> </tbody> </table>	Part No.	D1 (mm)	D2 (mm)	<a href="#">CX 130.140 S</a>	13	14	<a href="#">CX 137.150 S</a>	13,7	15	<a href="#">CX 140.150 S</a>	14	15									
Part No.	D1 (mm)	D2 (mm)																						
<a href="#">CX 130.140 S</a>	13	14																						
<a href="#">CX 137.150 S</a>	13,7	15																						
<a href="#">CX 140.150 S</a>	14	15																						

### Materials

Crimp sleeves copper alloy

### MIXO Modular Inserts

Cable clamps

### Pages

C.61, H.56



Tutorial